DIF DESKIOP PRINTING SOLUTION



Let printing break through scene limitations Hanrun paper®

DK A-30 DTF PRINTER

- I XP600 Print head
- Easy to get started
- Low risk and low investment
- Wide application range
- Easy to maintain and easy to use



DK F-2938 HEAT PRESS

- Creative, stylish and simple design
- Efficient and energy saving
- Easy to operate, suitable for anyone
- High security
- Light and small, very portable






www.hanrunpaper.com


info@hanrunpaper.com

Hanrun paper DK A-30 Desktop DTF Printer fits on your desktop, making it ideal for use in home businesses, small offices, retail spaces and classroom settings. Empowering small batch customized production and reducing input costs. It's easy for anyone — even those with no prior experience — to print vibrant and detailed graphics on a wide range of objects. Welcome to a new world of creative possibilities.




I- XP600 Printhead

Much lower maintain costs and fast print speed



3- Independently adjustable press roller

Each press roller can be independently adjusted for winding and pressure




5- Suction Platform

Prevent the printing film from curling



2- White ink stir system

Prevent white ink precipitation and extend the service life of the print head



4- Ink stack height adjustment kn

The independent ink stack height adjustment knob can help you manually adjust the height of the ink stack for easy inspection and maintenance.



6- Support film rolls

Satisfy your printing demands for 30cm wide roll film printing

OPERATING PROCEDURES



1. Computer design (15-20 seconds) 2. Printed the image with DK A-30 DTF PRINT-ER (5-8 mins)
Paper DTF printer and

3. Apply the powder uniformly on the printed film and shake off the excess powder.





materials.





4. Use DK F-2938 press machine;


Turn on the heating plate to increase the temperature; (Use high temperature to adhere the powder to the pattern)

Press the button to transfer the pattern to clothing;

DK A-30 DTF PRINTER PARAMETERS Printer Model **DK A-30** Print Head 1 XP600 4pass: 2.5 m²/h Print Resolution/Speed 6pass: 1.6 m²/h 8pass: 1.2 m²/h Ink DTF pigment ink (CMYK+W) Maintop/Cadlink/PP RIP software TCP/IP Printing interface Printing Width 300mm Print media DTF film ACIIOV / 220V 50HZ/60HZ Voltage Working environment Temperature: 20-35°C, Humidity:35%-65% 200W Power 720(L)*365(W)*350(H)mm 35KG Printer size 810(L)*490W)*510(H)mm 47.5KG Packing size/Weight Functional item Shake powder control/

Powder amount control/Temperature control

DK F-2938 HEAT PRESS MACHINE PARAMETERS	
Printer Model	DK F-2938
Heating method	Heating coil
Power	800W±10%
Rated voltage/frequency	220V-50Hz
Rated voltage/frequency	110V-50-60Hz
Heating plate size	290mmx380mm
Temperature range	40°C-205°C(104°F-401°F)
Gross weight	17.5KG
Outer box size	L575xW475xH27Omm
Outer box volume	0.074 cube





www.hanrunpaper.com info@hanrunpaper.com